

Toll Free: 1.844.363.1223



World class solutions for Automated Sample Prep, Microwave Digestion/ Ashing, Liquid Handling, Lab Scrubbers, Accessories & Consumables.





Automated Sample Prep Workstations & Microwave Digestion Solutions

Mining Industry | Soil Testing |

Agriculture, Tobacco, Cannabis Industry | Food Industry

Stack Pollution Testing | Water Pollution Testing

Cosmetics | Pharmaceuticals & Nutraceuticals | Environmental



A first step for accurate metals analysis is bringing diverse samples into a mineralized state by applying heat & adding precise levels of heat and reagents.

Questron Technologies has dedicated twenty years in finding solutions to this complex process.

Our products digest, prepare and automate - with minimal contamination, highest accuracy and has long instrument life in a hostile environment of acids and heat.

We are proud to present our sample preparation products.

Should you need customised solutions, just give us a call!





Nitron

High Temperature Automated Block Digestion

The Nitron High-Temperature Automated Digestion and Dispensing system is designed for routine and customizable methods that require heating up to 400 °C. It is ideal for automating applications involving acids like sulfuric and phosphoric acid.

Nitron has a unique way of handling Sulphuric acid fumes to avoid any condensation on digestion area.

The six independent reagent lines reduce priming operations, increase dispensing speed and minimize cross contamination.


The all-plastic fume hood provides a safe environment by reducing user contact with harmful acid fumes and hot samples.



Common Applications:

- Total Kjeldahl Nitrogen
 - Total Phosphorus
 - Feed
 - Grains
 - Plant tissues

- C.O.D.
- Plastics
- Ores
- Food
- Oils



Nitron software provides complete control and flexibility over the automation. The ease of method development allows users with unique samples and processes to customize the system for their applications.

Nitron will automatically:

Heat samples up to 400°C

Cool samples to ambient

• Dispense acids and reagents

Dilute samples to defined volume



Standard QBlocks for Nitron

NT-QB-30-30	QBlock for Nitron, capable of heating to 400°C; 30 positions with anodized aluminum block, sample tray and tray holder
NT-QB-47-12	QBlock for Nitron, capable of heating to 400°C; 12 positions with anodized aluminum block, sample carrying tray and tray holder

Standard Digestion Vials

	84-100-333	50 ml, Glass Tube
	84-100-356	100 ml Glass Tube
	84-100-303	100 ml, Quartz Tube
	84-100-291	150 ml, Glass Tube
	84-100-341	250 mL, Glass Tube



Computer: Windows® 10 to XP™, one USB3 port & 4 GB RAM

Utilities: 208 VAC, 60 Hz, 12 Amps or 220 VAC, 50 Hz, 12 Amps

Exhaust Flow: 150 — 200 CFM

Operating ambient temperature: 5 °C - 40 °C

Operating ambient Humidity: 10% - 80%

Dispensing Accuracy: Peristaltic pump: ±0.1 - 0.15 ml

Dispensing Flow: Peristaltic pump: ±0.5 - 1.5 ml/sec

Make Up Volume Accuracy: ±0.15 ml in 50 ml vial

Temperature Accuracy: ±2 %

Toll Free: 1.844.363.1223

Dimensions (W x D x H)	89 X 64 X 77 cm (35 X 25 X 30 in.)
Weight	70 kg (153 lb)
Shipping Dimensions	97 X 87X 102 cm (38 X 34 X 40 in.)
Shipping Weight	114 kg (252 lb)

Customisation

Do you have unique vial and temperature requirements?

Questron will design and manufacture customized block digestion systems for your applications.

.



Accessory Products

Laboratory Grade, Compact and Efficient Acid fumes Scrubber

Even if you have a roof-top scrubber, the acid fumes are better handled at the point of source, before they corrode and otherwise damage the conduits and other hardware to the roof-top. Questron's uniquely designed fume Scrubber was developed with our Vulcan product in mind, but it would find application at any place where concentrated and hot fumes are generated, such as in fume hoods. More than 90% efficiency is achieved for most exhaust constituents, such as HNO3 and HF acids. The unit requires a source of clean water at 1 liter per minute. Package includes an acid resistant exhaust blower that provides exhaust flow through the scrubber at 1000 to 1400 ft per minute.



Laboratory Grade Scrubber (18.5 " diameter X 34 " high)

Ouestron Portable Fume Enclosure

Questron Portable Fume Hood is an ideal choice in a laboratory application where a portable, table top, acid resistant enclosed space with a fume exhaust blower is required. It presents a viable alternative where permanently fixed fume hoods are too big and too expensive.

Two sizes are available. The 84-100-325A was ideally sized to accommodate one large size or standard size Questron digestion block. It has provision to continuously remove fumes from its inner space with a rugged acid resistant exhaust. The larger, 84-100-325B model can accommodate two large size Questron digestion blocks

Toll Free: 1.844.363.1223






Accessory Products

Reagent Bottle Storage Container


Designed with the Vulcan in mind, Questron Reagent Bottle Storage Contained is ideal for safely storing glass or plastic bottles. The Container can sit beside or underneath the Workstation. The unit can accommodate six of 2.5 liter bottles of standard reagent or concentrated acid bottles. Separate compartments ensure that liquids posing danger or fuming or mixing can be separated. The unit is acid resistant and designed to catch accidental acid spillage. Gas tight entry ports and active removal of in-box fumes is possible via an exhaust line connected to lab exhaust system.





Storage & Digestion Sample tubes

Questron makes a wide variety of tubes of various constructions. Primarily, they are used in our Vulcan and QBlock instruments, but they can also find home in any application that requires sample storage, sample analysis, etc. Below is a small sampling of our standard products in this category.



Toll Free: 1.844.363.1223

	Polypropylene	Glass	Teflon
50 ml	Yes	Yes	Yes
100 ml	Yes	Yes	Yes
Temp.	120 °C	650 °C	230 °C
Usage	Single	Multiple	Multiple
Сар	Yes	No	Yes

•



Laboratory Glassware

Our Raw Material:

- We use low expansion Borosilicate 3.3 as per ASTM E-438 Type -I.
- Borosilicate 3.3 is highly resistant to almost all Chemicals, salt solutions and other organic solvents.
- The labware are highly heat resistant, high resistance to thermal shock & high mechanical strength.
- Thermal expansion between 0-300/°C is 33 x 10-7/°C and thermal conductivity 0.0027 cal/cm3/°C/Sec.
- Borosilicate 3.3 can handle temperature up to 240 degree Celsius for continuous usage under general laboratory conditions, whereas it can withstanding temperature around 400-450 degree Celsius for short-term usage.



Questron Promise

At Questron Technologies Corp, we strive to be a world class developer, manufacturer, and marketer of scientific products and services. Using all our resources and knowledge base in mechatronics, material science, and chemistry, our primary goal is to present our clients worldwide with the very best sample prep products and tools modern technology can provide. The need to measure is a necessary part for any scientific enquiry. It is our passion to be a player in this enquiry - to provide top notch products and services to the scientific community.

From conception to manufacture to final delivery, Questron provides time saving, safe, reliable products, that are easy to learn and operate.

We are scientists serving scientists – you talk, we listen.

We take pride in our promise to work in accordance with our core values.

- Innovation: We challenge the status quo to continuously improve.
- Teamwork: We work together to achieve our goals.
- Accountability: We hold each other to a standard of excellence.
- Dedication: We are committed to giving our very best every day.
- Integrity: We promise to do the right thing even when it is difficult.
- Respect: We treat others the way we expect to be treated.
- Safety: We care for the safety of our community, and environment.



Manny Phull President & CEO




Tel: +1 905.362.1225

Toll Free: +1 844 363 1223

Fax: +1 905.362.1229

info@QTechCorp.com









Questron Technologies Corp. 6660 Kennedy Road, Unit 14A Mississauga, Ontario, L5T 2M9 Canada



